

# Labins

Laboratorios e Instrumentación SAS

## PORTAFOLIO DE CROMATOGRFÍA LABINS

LABINS SAS  
 NIT 900090654-6  
 Tel 57-1-4725717  
 Cel 57-3156342765  
 labins-sas@outlook.com  
 gerencia@labins.com.co  
 www.labins.com.co

Catálogos: SGE, Separation Systems, Supelco, Thermo, Fisher, VWR, ColeParmer		
Jeringas para cromatografía		
Manual syringe, 100 µL, fixed needle with bevel tip	5190-1507	
Autosampler Syringes, 10 ul, Fixed needle 23-26s/42/HP,	5181-1267	
Autosampler Syringes, 10 ul, Fixed needle 23-26s/42/HP, pack x 6	5181-3360	
Manual, Regular Plunger Syringes, 10 ul, Fixed needle with plunger protection 26s/50/2,	5182-3499	
Manual, Regular Plunger Syringes, 10 ul, Fixed needle r 26s/50/2, pack x 10	5182-3428	
ALS Syringe, 10ul tapered, fixed needle, PTFE-tipped plunger, 23-26s/42/HP, 6/pk	5181-3354	
LC Injector Valve Syringes, 50 ul, Fixed needle 22/51/3,	5182-9619	
0.5 ul. Plunger in needle, fixed 23/42/cone tipped. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80229	
5 ul. Straight, fixed 23/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80213	
5 ul. Straight, removable 23/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80234	
10 ul. Straight, fixed 23/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80209	
10 ul. Straight, removable 23/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80235	
25 ul. Tapered, fixed 23-26/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80242	
50 ul. Tapered, fixed 23-26/42/HP. Blue Line Autosampler Syringes with Fitted Plungers	G4513-80244	
10 ul. Straight, fixed 23/42/HP. Blue Line Autosampler Syringes with PTFE-Tipped Plungers	G4513-80220	
10 ul. Straight, removable 23/42/HP. Blue Line Autosampler Syringes with PTFE-Tipped Plungers	G4513-80219	

25 ul. Straight, fixed 23/42/HP. Blue Line Autosampler Syringes with PTFE-Tipped Plungers	G4513-80228	
50 ul. Straight, fixed 23/42/HP. Blue Line Autosampler Syringes with PTFE-Tipped Plungers	G4513-80221	
100 ul. Tapered, fixed 23-26/42/HP. Blue Line Autosampler Syringes with PTFE-Tipped Plungers	G4513-80243	
250 ul. Fixed 23/42/HP. Advanced Sample Enhancement Autosampler Syringes with PTFE-Tipped Plungers	G4513-60560	
500 ul. Fixed 23/42/HP. Advanced Sample Enhancement Autosampler Syringes with PTFE-Tipped Plungers	G4513-60561	
5 ul. Tapered, fixed 23-26s/42/HP. Tapered Needle, 23-26s Gauge Autosampler Syringes	5181-1273	
5 ul. Tapered, fixed 23-26s/42/HP. Tapered Needle, 23-26s Gauge Autosampler Syringes. 6/pk	5181-8810	
10 ul. Tapered, fixed 23-26s/42/HP. Tapered Needle, 23-26s Gauge Autosampler Syringes	5181-1267	
10 ul. Tapered, fixed 23-26s/42/HP. Tapered Needle, 23-26s Gauge Autosampler Syringes. 6/pk	5181-3360	
50 ul Tapered, fixed, PTFE-tipped plunger 23-26s/42/HP. Autosampler Syringes	5183-0314	
100 ul Tapered, fixed, PTFE-tipped plunger 23-26s/42/HP. Autosampler Syringes	5183-2042	
1 ul Cone-tipped 23/42/HP. Straight Needle, 23 and 26s Gauge Autosampler Syringes	5188-5246	
1 ml. Fixed needle 23 gauge. CombiPAL Headspace Syringes	G6500-80107	
2,5 ml. Fixed needle 23 gauge. CombiPAL Headspace Syringes	G6500-80109	
5 ml. Fixed needle 23 gauge. CombiPAL Headspace Syringes	G6500-80111	
1.2 ul. Fixed needle 26/51/AS. CombiPAL and GC PAL Liquid Injection Syringes	G6500-80113	
5 ul. Fixed needle 26/51/AS. CombiPAL and GC PAL Liquid Injection Syringes	G6500-80114	
10 ul. Fixed needle 26/51/AS. CombiPAL and GC PAL Liquid Injection Syringes	G6500-80115	
25 ul. Fixed needle 26/51/AS. CombiPAL and GC PAL Liquid Injection Syringes	G6500-80117	
25 ul. X-type fixed needle 22S/51/3. HTS and HTC PAL Liquid Injection Syringes	G4200-80117	
50 ul. X-type fixed needle 22S/51/3. HTS and HTC PAL Liquid Injection Syringes	5188-6485	
10 ul. Fixed needle 22S/51/3. HTS and HTC PAL Liquid Injection Syringes	G4200-80113	
25 ul. Fixed needle 22S/51/3. HTS and HTC PAL Liquid Injection Syringes	G4200-80114	
100 ul. Fixed needle 22S/51/3. HTS and HTC PAL Liquid Injection Syringes	G4200-80115	
5 ul. Manual Syringes with Fitted Plunger. Plunger in needle, removable	5190-1475	
10 ul. Manual Syringes with Fitted Plunger. Fixed 26/50/bevel	5190-1483	
25 ul. Manual Syringes with Fitted Plunger. Fixed 26/50/bevel	5190-1493	
<b>EXTRACCION EN FASE SOLIDA - SPE</b>		
Cation-exchange SPE. Bond Elut Certify 130 mg 3 mL 50/pk	12102051	

Cation-exchange SPE. Bond Elut SCX 500 mg 3 mL 50/pk	12102040	
Cation-exchange SPE. Bond Elut PRS 500 mg 3 mL 50/pk	12102039	
Cation-exchange SPE. Bond Elut AccuCAT 500 mg 3 mL 50/pk	12102039	
Cation-exchange SPE. Bond Elut Plexa PCX 60 mg 3 mL 50/pk	12108603	
Cation-exchange SPE. Bond Elut Plexa PCX . 30 mg 2 mL 96-well 1/pk	A3968030	
Cation-exchange SPE. Bond Elut WCX 60 mg 3 mL 50/pk	5982-3536	
Anion-exchange SPE. Bond Elut Certify II 200 mg 3 mL 50/pk	12102080	
Anion-exchange SPE. Bond Elut SAX 100 mg 3 mL 50/pk	12102125	
Anion-exchange SPE. Bond Elut PSA 500 mg 3 mL 50/pk	12102042	
Anion-exchange SPE. Bond Elut AccuCAT 200 mg 3 mL 60/pk	12282003	
Anion-exchange SPE. Bond Elut WAX 60 mg 3 mL 50/pk	5982-3636	
Anion-exchange SPE. Bond Elut Plexa PAX 60 mg 3 mL 50/pk	12107603	
Reversed-phase SPE. Bond Elut C18 100 mg 1 mL 100/pk (end-capped)	12102001	
Reversed-phase SPE. Bond Elut C18 100 mg 1 mL 100/pk (un-end-capped)	12102020	
Reversed-phase SPE. Bond Elut C8 100 mg 3 mL 50/pk	12102100	
Reversed-phase SPE. Bond Elut Phenyl 500 mg 3 mL 50/pk	12102032	
Reversed-phase SPE. Bond Elut PPL 100 mg 3 mL 50/pk	12105004	
Reversed-phase SPE. Bond Elut Plexa 60 mg 3 mL 50/pk	12109603	
Normal-phase/Reversed-phase SPE. Bond Elut Silica 100 mg 1 mL 100/pk	12102010	
Normal-phase/Reversed-phase SPE. Bond Elut C1 100 mg 3 mL 50/pk	12102090	
Normal-phase/Reversed-phase SPE. Bond Elut Florisil 200 mg 3 mL 50/pk	12102129	
Normal-phase SPE. Bond Elut Cyano (CN) 500 mg 3 mL 50/pk	12102034	
Normal-phase SPE. Bond Elut Diol (2OH) 100 mg 1 mL 100/pk	12102009	
Normal-phase SPE. Bond Elut NH2 200 mg 3 mL 50/pk	12102089	
Specialty and Inorganic phases SPE. Bond Elut Carbon 250 mg 6 mL 30/pk	12102201	
Specialty and Inorganic phases SPE. Bond Elut Mycotoxin 500 mg 3 mL 50/pk	12102167	
Specialty and Inorganic phases SPE. Bond Elut PBA 100 mg 3 mL 50/pk	12102127	
Specialty and Inorganic phases SPE. Bond Elut PCB 1 g 3 mL 50/pk	12105032	
Manifolds SPE. Vac Elut SPS 24 24 position, 13x100 mm tubes	12234022	
Manifolds SPE. Vac Elut 20 position, 13x100 mm tubes	12234101	
Manifolds SPE. Vac Elut 12 position, 16x100 mm tubes	5982-9110	
Manifolds SPE. VersaPlate Manifold Complete manifold	12236101	

#### CONSUMIBLES PARA CROMATOGRAFIA GC - HPLC

Storage vial kit, 12 mL, 19 x 65 clear vial, 15-425 closed top, PTFE/silicone septum, 100/pk	5183-4312	
Clear wide opening screw top 100/pk	5182-0714	
Clear wide opening screw top, write-on spot 100/pk	5182-0715	
Amber wide opening screw top, write-on spot 100/pk	5182-0716	
Clear wide opening screw top, write-on spot 1000/cs*	5183-2068	
Amber wide opening screw top, write-on spot 1000/cs*	5183-2069	
Blue, PTFE/red silicone rubber septa* 100/pk	5182-0717	
Cap, screw, blue, PTFE/red silicone septum, 500/ pk	5185-5820	
Ivory PTFE/red silicone rubber septa* 100/pk	5182-0731	
Clear vials, blue screw caps, PTFE/red silicone rubber septa* 500/pk	5182-0732	
Clear wide opening crimp top 100/pk	5181-3375	
Amber wide opening crimp top, write-on spot 100/pk	5181-3376	

Clear wide opening crimp top, write-on spot 1000/cs*	5183-4492	
Amber wide opening crimp top, write-on spot 1000/cs*	5183-4493	
Silver aluminum, clear PTFE/red natural rubber septa 100/pk	5181-1210	
Silver aluminum, clear PTFE/red natural rubber septa 1000/pk	5183-4498	
100 µL glass inserts with polymer feet and mandrel interior	5181-1270	
100 µL pulled-point glass inserts	5183-2085	
250 µL glass flat bottom inserts	5181-3377	
250 µL polypropylene flat bottom inserts	5183-2087	
Red PTFE silicone/red PTFE septa, 8 mm	5183-4436	
Clear screw top, 4 mL, 15 x 45 vials	5183-4448	
Black 13 x 425 caps, PTFE/silicone septa 100/pk	5183-4464	
Flat bottom Headspace, 20 mL, 23 x 75 mm	5182-0837	
Flat bottom Headspace, 10 mL, 23 x 46 mm	5182-0838	
Silver aluminum, one piece crimp caps, 20 mm	9301-0721	
Silver aluminum, one piece crimp caps, 20 mm PTFE/silicone septa	5183-4477	
Gray butyl stopper, 20 mm -40°C to 120°C	5183-4476	
Gray PTFE/black butyl molded septa, 20 mm -40°C to 125°C	9301-0976	
Tan PTFE/white silicone septa, 20 mm -60°C up to 180°C	9301-0719	
Clear Glass Sample Vials with Teflon-Lined Storage Caps, 4 mL, 15 x 45-vials with 13-425 caps 100/Pk	5183-4519	
Clear Glass Sample Vials with Teflon-Lined Storage Caps. 12 mL, 19 x 65-vials with 15-425 caps 200/Pk	5183-4521	
Clear Glass Sample Vials with Teflon-Lined Storage Caps. 22 mL, 23 x 85-vials with 20-400 caps 200/Pk	5183-4523	
Clear Glass Sample Vials with Teflon-Lined Storage Caps. 40 mL, 28 x 95-vials with 24-400 caps 100/Pk	5183-4524	
Amber Glass Sample Vials with Teflon-Lined Storage Caps, 4 mL, 15 x 45-vials with 13-425 caps 100/Pk.	5183-4526	
Amber Glass Sample Vials with Teflon-Lined Storage Caps. 12 mL, 19 x 65-vials with 15-425 caps 200/Pk.	5183-4528	
Amber Glass Sample Vials with Teflon-Lined Storage Caps. 40 mL, 28 x 95-vials with 24-400 caps 100/Pk.	5183-4530	
Clear Glass Sample Vials with Caps and Septa. 4 mL, 15 x 45-vials with 13-425 caps 100/pk	5183-4532	
Clear Glass Sample Vials with Caps and Septa. 12 mL, 19 x 65-vials with 15-425 caps 200/pk	5183-4534	
Clear Glass Sample Vials with Caps and Septa. 22 mL, 23 x 85 vials with 20-400 caps 200/pk	5183-4536	
Clear Glass Sample Vials with Caps and Septa. 40 mL, 28 x 95-vials with 24-400 caps 100/pk	5183-4537	
Manual crimper, 11 mm	8710-0979	
Manual decapper, 11 mm	5181-1213	
Manual crimper, 20 mm	9301-0720	
Manual decapper, 20 mm	5181-1214	
Big Moisture Traps (BMT Series), Big Moisture Trap, 750cc, fitting 1/8 in, part number	BMT-2	
Big Oxygen Traps (BOT Series), Big Oxygen Trap 750 cc, 1/8 in, part number	BOT-2	
Big Universal Traps (RMS Series), Helium (Ar/Me)+, fitting 1/8, part number	RMSH-2	
Snoop	9300-0311	
FlowTracker 1000 Flowmeter	5183-4779	
FlowTracker 2000 Flowmeter and Leak Detector	5183-4780	
ADM Flowmeter,	ADM1000	

ADM Flowmeter,	ADM2000	
10 mL Glass Bubble Flowmeter	0101-0030	
Diamond-tipped column cutting pencil	420-1000	
Ceramic wafer column cutter 4/pk	5181-8836	
Ultimate Union Kit, deactivated	G3182-61580	
Liner, splitless, single taper, deactivated, 5/pk	5183-4695	
Liner, splitless, single taper, deactivated	5181-3316	
Septum, Advanced Green, non-stick, 11 mm, 50/pk	5183-4759	
Septum, bleed and temperature optimized (BTO), non-stick, 11 mm, 50/pk	5183-4757	
O-ring, inlet liner, non-stick, 10/pk	5188-5365	
O-ring, liner, non-stick, for Flip Top Inlet Sealing System	5188-5366	
Gold plated inlet seal kit with washer, certified	5188-5367	
11MM GP SEPTA PKT50	41826	SGE
Bond Elut C18, 500 mg, 3 mL, 50/pk	12102028	
Lamp, deuterium, long-life, with RFID tag, Agilent G1315C/D and G1365C/D diode array detectors	2140-0820	
FID igniter cable, for Agilent 6890, 6850 only	G3431-60680	
GLYCERIN,1 X 1ML, 500UG/ML,PYRIDINE Peligroso: UN Transportation Number (IATA): 1282	44892-U	SUPELCO
ZORBAX Eclipse Plus C18, 4.6 x 250 mm, 5 µm	959990-902	
ZORBAX Eclipse XDB-C18 guard cartridge, 4.6 x 12.5 mm, 5 µm, 4/pk (REL)	820950-925	
Column nut for MS interface	05988-20066	
ZORBAX Eclipse XDB-C18 LC Column, 4.6 mm, 250 mm, 5 µm	990967-902	
ZORBAX Eclipse XDB-C18 guard cartridge, 4.6 x 12.5 mm, 5 µm, 4/pk (REL)	820950-925	
(SOPORTE DE LOS CARTUCHOS) High performance ZORBAX guard fittings kit. Includes low-volume guard holder, inlet end fitting (2), outlet end fitting with integrated column connector, and PEEK fingertight fitting, seals (2/pk)	820999-901	
SPME Fiber, PDMS, manual, 24 ga, 100 um, D1288, 3/pk	57300 U	
Captiva Premium Syringe Filter, nylon membrane, 25 mm diameter, 0.2 µm pore size, 100/pk	5190-5092	
Liner O-ring, graphite, 8 mm id, for Thermo GC systems, 2/pk	29033406	THERMO

Liner, general purpose split/splitless glass wool, taper, deactivated, 870 ul,	5183-4711	
Fluorocarbon O-ring 12/pk	5180-4182	
Graphite O-ring for splitless liner 10/pk	5180-4173	
Graphite O-ring for split liner 10/pk	5180-4168	
2/pk Split vent replacement cartridge, 2/pk	G1544-80530	
Septum, long-life, non-stick, 11 mm, 100/pk	5183-4761-100	
G3170-60050 -- Obsolete. Replaced by G7005-60061. G7005-60061 1/pk Filament, high temperature, EI ion source, for Agilent 5972 MSD		
Split vent replacement cartridge, 2/pk	G1544-80530	
SUPELCO. COLUMN SUPELWAX 10	24079	SUPELCO
SUPELCO SPB®-1 Capillary GC Column, L x I.D. 30 m x 0.25 mm, df 0.25 µm	24028	SUPELCO
SPME Fiber, Carbox/DVB/PDMS Man 50/30 1 cm	57328U	SUPELCO
Universal column nut, 1/16 in. hex 2/pk	5181-8830	
Ignitor castle	19231-20910	
Capillary jet (0.011 in./0.29 mm id tip). Length 48.	G1531-80560	
High-temperature jet (SimDIS 0.018 in. id tip), length 48,	G1531-80620	
Capillary 0.53 mm jet (0.011 in. id tip), length 61.5.	19244-80560	
Packed (0.018 in. id tip) , length 63.5,	18710-20119	
Filament, 5973 (EI),	05971-60053	
Filament, 5973 (CI) 2/pk	G1099-80053	
Diffusion pump fluid: SantoVac Ultra 5P, 18.5 mL (5973, 5972 or 5971/GCD),	6040-0809	
Electron multiplier replacement horn (5973, 5972, 5971, GCD),	05971-80103	
HPLC Detector Lamps, Deuterium Lamp P/N	G1314-60100	
HPLC Detector Lamps, Deuterium Lamp for VWD, MWD, and DAD P/N	79883-60002	
Sapphire piston for 1100 and 1050	5063-6586	
Piston seal for 1100 and 1050 2/pk	5063-6589	
Capillary Connectors for Standard 1100 Series Modules		
Wash seal	0905-1175	
Wash seal gasket 6/pk	5062-2484	
PTFE frit 5/pk	01018-22707	
Outlet gold seal	5001-3707	
Outlet cap 4/pk	5062-2485	
Replacement purge valve	G1311-60009	
Outlet ball valve (quaternary, isocratic)	G1311-60012	
Outlet ball valve (binary)	G1312-60012	
Cartridge	5062-8562	
Active inlet valve	G1312-60010	
Rotor, Vespel, pH 2.3 to 9.5	0100-1853	
Rotor, Tefzel, extreme pH ranges >10	0100-1849	
Isolation seal	0100-1852	
Injection valve assembly (Rheodyne 7750)	0101-0921	
Needle	G1313-87201	
Solvent Inlet Filter P/N	01018-60028	

<b>Columna para cromatografía de gases:</b>		
DB-1 / DB-1MS		
DB-5 / DB-5MS		
DB-XLB		
DB-35 / DB-35MS		
DB-17 / DB-17MS		
DB-225 / DB-225MS		
DB-23 / DB-23MS		
DB-200		
DB-210		
DB-624		
DB-1301		
DB-701		
DB-WAX (PEG)		
DB-FFAP		
DB-2887		
DB-HT SIMDIS		
HP-PONA		
DB-PETRO		
HP-PLOT		
HP-PLOT MOLESIEVE		
HP-PLOT Q		
HP-PLOT U		

<b>Columna para cromatografía líquida HPLC:</b>		
ZORBAX STABLEBOND		
ZORBAX ECLPSE XDB		
ZORBAX EXTEND C18		
ZORBAX STABLEBOND		
Columna Hplc Hypersil Ods (C18) 150 X 4.6 5 Micras	30105-154630	THERMO
Columna Hplc Hypersil Ods (C18) 250 X 4.6 5 Micras	30105-254630	THERMO
Columna Hplc Hypersil Mos (C8) 150 X 4.6 5 Micras	30205-154630	THERMO
Columna Hplc Hypersil Mos (C8) 250 X 4.6 5 Micras	30205-254630	THERMO
Columna Hplc Hypersil Ods (C8) Encapada 150 X 4.6 5 Micras	30305-154630	THERMO
Columna Hplc Hypersil Ods (C8) Encapada 150 X 4.6 5 Micras	30305-254630	THERMO
Columna Hplc Hypersil Ods (C18) Encapada 150 X 4.6 5 Micras	31605-154630	THERMO
Columna Hplc Hypersil Ods (C18) Encapada 250 X 4.6 5 Micras	31605-254630	THERMO
Columna Hplc Hypersil Phenyl 150 X 4.6 5 Micras	30905-154630	THERMO
Columna Hplc Hypersil Phenyl 250 X 4.6 5 Micras	30905-254630	THERMO
Columna Hplc Hypersil Cn 150 X 4.6 5 Micras	30805-154630	THERMO
Columna Hplc Hypersil Cn 250 X 4.6 5 Micras	30805-254630	THERMO
Columna Hplc Hypersil Gold (C18) 150 X 4.6 5 Micras	25005-154630	THERMO
Columna Hplc Hypersil Gold (C18) 250 X 4.6 5 Micras	25005-254630	THERMO
Columna Hplc Hypersil Gold (C8) 150 X 4.6 5 Micras	25205-154630	THERMO
Columna Hplc Hypersil Gold (C8) 250 X 4.6 5 Micras	25205-254630	THERMO
Columna Hplc Hypersil Gold Phenyl 150 X 4.6 5 Micras	25905-154630	THERMO
Columna Hplc Hypersil Gold Phenyl 250 X 4.6 5 Micras	25905-254630	THERMO
Columna Hplc Hypersil Gold Cn 150 X 4.6 5 Micras	25805-154630	THERMO
Columna Hplc Hypersil Gold Cn 250 X 4.6 5 Micras	25805-254630	THERMO